

B R O C H U R E




Caging and Enclosures



Anping Web Wire Mesh Co.,Ltd.

Woven Wire Mesh For Caging & Enclosure



Material

A. Steel

Steel represents very good value and is widely used in applications where its weld-ability, strength, and economy make it a popular option.

B. Stainless steel

Stainless steel is often used for caging and enclosure applications. The wide range of grades of stainless steels can be produced as crimped mesh to improve performance in corrosion resistance, formability, and aesthetics.

Introduction

Metal wire mesh is often found in caging and enclosure applications. It is used by many zoos to create cages for animals, like monkeys or sheep. Also individuals use the mesh to create cages and enclosures for dogs, birds, chickens, rabbits etc.

Products

Intermediate crimped wire mesh

Lock crimped wire mesh

X-Type cable mesh



Idea for	Screen Size	Features & Benefits
<ul style="list-style-type: none">Zoo	<ul style="list-style-type: none">10mm opening12mm opening15mm opening16mm opening20mm opening	<ul style="list-style-type: none">Abrasion and wear proofRugged and tough designLong service lifeHigh resistance against corrosionGreat stability

Technical Parameters

When ordering, please specify:

1. Weave Type


Plain crimped weave type, single crimped, double crimped, locked crimped, flat top crimped, slot hole crimped

2. Wire Diameter (D)


3. Hole Size (L)

4. Panel Width (PW)


5. Panel Length (PL)




Plain Crimped



Single Crimped



Lock Crimped



Double Crimped

Crimped Wire Mesh

Opening L		Wire D		Open Area	Weight
mm	inch	mm	inch	%	Kgs/m ²
10.00	0.394	2.00	0.079	69.44	4.11
10.00	0.394	1.80	0.071	71.82	3.39
12.70	0.500	2.60	0.102	68.90	5.45
12.70	0.500	2.30	0.091	71.68	4.35
12.70	0.500	2.00	0.079	74.64	3.36
20.00	0.787	2.60	0.102	78.31	3.69
20.00	0.787	2.30	0.091	80.44	2.93
20.00	0.787	2.00	0.079	82.64	2.24

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website:www.webwovenmesh.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.