

B R O C H U R E


< < < < < <

Wire Mesh Test Sieve



Anping Web Wire Mesh Co.,Ltd.

Woven Wire Mesh For Test Sieve



Products:

- Stainless steel wire mesh
- Brass wire mesh
- Copper wire mesh
- Phosphor bronze wire mesh
- Aluminum wire mesh
- Crimped wire mesh

Introduction

Woven wire mesh is a mainly raw material for test sieve, the test sieve is a professional measuring instrument for laboratory sampling, particle size analysis, separates or classify sands, crushed rock, clays, granite, feldspars, coal, soil, a wide range of manufactured powders, grain and seeds etc. High quality metal wire protects against corrosion and simplifies cleaning, and the metal frame prevent contamination of the sieving material. The meshes come in different materials: stainless steel, brass and copper.



Idea for		Screen Size	Features & Benefits
- Air Jet Sieves - Cement Wet Washing - Coffee Bean Grading - Grain Sieves - Grid Sieves - Garden sieve - Dry sieve - Wet washing sieve		20 mesh 40 mesh 60 mesh 80 mesh 100 mesh 200 mesh	- Strong corrosion resistance, easy to clean - High screening precision, high efficiency - Wear resistance, easy to use and suitable for graded screening - Low cost, easy to process - Long service life

Technical Parameters

When ordering, please specify:

1. Weave Type


Plain weave, plain crimped, single intermediate crimped, lock crimped, flat top crimped

2. Wire Diameter (D)


3. Hole Size (L)

4. Roll Width (RW)


5. Roll Length (RL)




Plain Weave



Plain Crimped



Lock Crimped



Flat Top Crimped

Wire Mesh

Mesh	Wire		Aperture		Open Area	Weight
	mm	inch	mm	inch	%	Kgs/m ²
20	0.27	0.0106	1.000	0.0393	62.00	0.72
20	0.25	0.0098	1.020	0.0401	64.50	0.62
80	0.12	0.0047	0.197	0.0077	38.69	0.57
80	0.10	0.0039	0.217	0.0085	46.92	0.40
100	0.10	0.0039	0.154	0.0060	36.75	0.50
100	0.08	0.0031	0.174	0.0068	46.92	0.32
120	0.06	0.0023	0.151	0.0059	51.34	0.21
150	0.06	0.0023	0.109	0.0043	41.68	0.27
200	0.05	0.0019	0.077	0.0030	36.75	0.25

Headquarters

Web Wire Mesh Co.,Ltd.
No.12 Weier Rd.
EZD Industrial Park
Hebei, China
Tel: +86 0318 7568801
Fax: +86 0318 7568802
Website: www.webwovenmesh.com

Branch

Web Wire Mesh Co.,Ltd.-SJZ
NO 2701 CYC
Shijiazhuang City
Hebei, China
Tel: +86 0311 89255081
E-mail: zhao@webwirecloth.com



Anping Web Wire Mesh Co.,Ltd.